# Index

## *VOLUME 2*

Included in this issue is the index for Volume 2 of *Nuclear Safety*. Future indexes for this quarterly will be prepared annually and will appear in the final (Number 4) issue. A cumulative index for Volumes 1 to 3 will appear in the June 1962 issue. Here the bold numbers denote issues, and the other numbers denote pages.


### A

Accumulators, design, **1**: 48
Adsorbers
  *See also* Air, Filters, Fission products, and Scrubbers
  gaseous-waste decontamination, **4**: 39–40
Air
  *See also* Atmosphere, Clouds, Fallout, Filters, Fission products, and Stratosphere
  compressor explosions, **1**: 44–9
  contamination, **2**: 25–6, 37–8, 51, 56–9
  reaction with graphite, **2**: 16
Aircraft Reactor Experiment (ARE), molten-fluoride-fuel phase diagram, **2**: 12–13
Alarms, gamma radiation, **3**: 49
Algae, uptake of radionuclides from fallout, **2**: 66–7
Alloys
  *See also* specific alloys
  reactions with $O_2$, **2**: 18–19
Aluminum, reaction with graphite, **2**: 16
  reaction with $O_2$, **2**: 18
Aluminum-beryllium-magnesium alloys, reactions with $CO_2$ and graphite, **2**: 16
Aluminum oxide, radioiodine sorption, **3**: 35
ANL
  *See* Argonne National Laboratory (ANL)
Antimony-124–beryllium radiation sources, properties, **3**: 39
ARE
  *See* Aircraft Reactor Experiment (ARE)
Argonne National Laboratory (ANL), radiation accident, **1**: 73
  reactor parameter determination, **1**: 19
Argonne Transient Reactor Test Facility (TREAT), fuel-element meltdown experiments, **1**: 26–7
Atmosphere
  *See also* Air, Clouds, and Stratosphere
  dispersion, **1**: 93–4; **4**: 47–51

### B

Barium, removal from gas-cooled-reactor coolants, **2**: 42
Barium-137–cesium-137 radiation sources, heating, **3**: 39
Belgium, population radiation protection, **2**: 2
  reactor site selection, **2**: 3
  waste disposal, **2**: 60, 62
BEPO
  *See* British Experimental Pile O (BEPO)
Beryllium, health hazards, **2**: 42–5
  reaction with graphite, **2**: 17
Beryllium bifluoride–lithium fluoride–uranium tetrafluoride system, phase diagram, **2**: 13
Beryllium oxide, reaction with graphite, **2**: 17
Beryllium-polonium neutron sources, suppliers, **3**: 40
Big Rock Point
  *See* High-Power-Density Reactor Plant (Big Rock Point)
Biphenyl mixtures, melting points and vapor composition, **2**: 12
Bismuth, radioiodine sorption, **3**: 35
Bismuth oxide, radioiodine sorption, **3**: 35
Blood, $Na^{24}$ determination, **3**: 49
BNL
  *See* Brookhaven National Laboratory (BNL)
Body burden, $Sr^{90}$, **3**: 45–6
Boiling Nuclear Superheater Reactor (BONUS), containment, **1**: 56–60, 62, 64–7, 69
  control rods and rod drives, **4**: 24–30
  electric power system, **1**: 34–5, 38
  licensing and regulation, **1**: 109; **2**: 82, 88–9; **3**: 64, 68; **4**: 67
  public radiation exposure hazards, **1**: 84–5, 87
Boiling-reactor experiments (BORAX), reactivity step insertion, **3**: 18–19

Boiling-water reactors
*See* Reactors
Bone, $Sr^{90}$ uptake by human, **3**: 45–7
BONUS
*See* Boiling Nuclear Superheater Reactor (BONUS)
BORAX
*See* Boiling-reactor experiments (BORAX)
Boron compounds, reactions with graphite, **2**: 17
British Experimental Pile O (BEPO), gaseous-waste decontamination, **4**: 39–40
graphite annealing, **3**: 13–14
British Medical Research Council, reactor site selection, **2**: 4–5
Bromine, removal from gas-cooled-reactor coolants, **2**: 41–2
removal from LMFR fuel, **2**: 40
BR-2 Reactor, safety features, **2**: 3
BR-3 Reactor, safety features, **2**: 3
Bromine trifluoride, U fluorination, **2**: 14–15
Brookhaven National Laboratory (BNL), hot-laboratory explosion, **I**: 51–3
U fluorination with $BrF_3$, **2**: 14–15
Burnout, heat-flux correlations in reactors, **3**: 10–13

## C

Cadmium, effects on graphite moderating properties, **2**: 17
Cancer, radiation-induced, **3**: 2–3, 46–8
Carbon dioxide, reaction with graphite, **2**: 15–16
reaction with Magnox alloys, **2**: 16
Carolinas-Virginia Tube Reactor (CVTR), containment, **I**: 56–60, 62, 64–7
control rods and rod drives, **4**: 24–30
electric power system, **I**: 34–5, 41
licensing and regulation, **I**: 109; **2**: 82; **3**: 64, 68; **4**: 67
public radiation exposure hazards, **I**: 84–5, 87
Casks, spent reactor fuel-element shipment, **I**: 6–7
Cataracts, radiation-induced, **3**: 3–4
Cerium oxide radiation sources, fabrication, **3**: 39–40
Cerium radioisotopes, biological uptake from fallout, **2**: 66–7
removal from gas-cooled-reactor coolants, **2**: 42
source properties, **3**: 39
Cerium-144–praseodymium-144, radiation heating, **3**: 39
radiation incident at ORNL, **2**: 73–5
Cesium hydride, compatibility with graphite, **2**: 17
Cesium radioisotopes, biological uptake from fallout, **2**: 66
radiation source preparation and properties, **3**: 39–40
release from U, **2**: 22
release from $UO_2$, **2**: 21
removal from gas-cooled-reactor coolants, **2**: 41–2
CETR
*See* Consolidated Edison Thorium Reactor (CETR) at Indian Point
Chalk River, waste disposal, **3**: 51
Charcoal (activated), radioiodine adsorption, **3**: 36–8
Clays, fission-product absorption, **3**: 33–4
Clinch River, radioactivity, **3**: 51
Clouds
*See also* Air
spread, **4**: 49–50
Cobalt-60 radiation sources, fabrication and properties, **3**: 39–40
Columbia River, biological uptake of radionuclides, **2**: 67
reactor effluent release into, **2**: 66
Compressed air systems, explosions, **I**: 44–9
Concrete dust, radioiodine sorption, **3**: 35
Consolidated Edison Thorium Reactor (CETR) at Indian Point, containment, **I**: 57–61, 63, 65–7
control rods and rod drives, **4**: 24–8, 35–6
electric power system, **I**: 33–6
licensing and regulation, **2**: 83; **3**: 65, 68; **4**: 67–8
public radiation exposure hazards, **I**: 84–6
Contamination
*See also* Air, Decontamination, Fission products, and Reactors
air, **2**: 25–6, 37–8, 51
molten-salt reactor fuels, **2**: 13
Na in SRE, **3**: 59–60
spent reactor fuel-element shipment casks, **I**: 6
Copper, radioiodine sorption, **3**: 35, 37–8
Copper mesh (Ag-plated), radioiodine sorption in steam-air mixtures, **3**: 36–7
Criticality hazards, decontamination procedures, **2**: 52
CVTR
*See* Carolinas-Virginia Tube Reactor (CVTR)

## D

Decontamination
*See also* Contamination, Fission products, and Reactors
air, **2**: 25–6
gaseous wastes, **4**: 39–41
hazards, **2**: 48–52
paving, **2**: 51–2
Pu, **2**: 49–51
reactor coolants, **2**: 39–42
reactor cooling system, **2**: 52
Redox multipurpose dissolver, **4**: 53–4
television use, **2**: 49
$UO_2$, **2**: 52
Detectors, development of neutron, **3**: 50

DIDO Reactor, gaseous-waste decontamination, **4**: 40
Dosimetry
*See* Radiation
Dresden Nuclear Power Station, containment, **I**: 57–61, 63, 65–7
control rods and rod drives, **4**: 24–8, 34–5
electric power system, **I**: 34–7
licensing and regulation, **I**: 109–10; **2**: 82, 86; **3**: 64, 72; **4**: 66–8
public radiation exposure hazards, **I**: 84–6
system analysis, **I**: 24–5
Dry boxes, Pu handling, **I**: 53

## E

EBR-I
*See* Experimental Breeder Reactor (EBR-I)
EBR-II
*See* Experimental Breeder Reactor-II (EBR-II)
EBWR
*See* Experimental Boiling-Water Reactor (EBWR)
EGCR
*See* Experimental Gas-Cooled Reactor (EGCR)
Elk River Power Reactor, containment, **I**: 57–61, 63, 65–7
control rods and rod drives, **4**: 24–30
electric power system, **I**: 34–5, 37–8
licensing and regulation, **2**: 82; **3**: 64, 68, 71; **4**: 67–8
public radiation exposure hazards, **I**: 84–6
ELPHR
*See* Experimental Low-Temperature Process-Heat Reactor (ELPHR)
Engineering Test Reactor (ETR), air-oil explosion in compressor, **I**: 44–5
hot spots, **4**: 14
safety systems, **I**: 29–30
Enrico Fermi Atomic Power Plant, containment, **I**: 56–60, 62, 64–8
control rods and rod drives, **4**: 24–8, 30–3
electric power system, **I**: 34–5, 38–9
licensing and regulation, **I**: 114–15; **2**: 81, 83; **3**: 65, 71–2; **4**: 67
public radiation exposure hazards, **I**: 84–5, 87
Erosion, effects on $Sr^{90}$ movement in soil, **2**: 64–5
ETR
*See* Engineering Test Reactor (ETR)
Euratom
*See* European Atomic Energy Community (Euratom)
Eurochemic
*See* European Company for the Chemical Processing of Irradiated Fuels (Eurochemic)
Europe
*See also* specific countries
transport of nuclear materials, **2**: 5
European Atomic Energy Community (Euratom), standards for nuclear and radiological installations, **2**: 1–2
European Company for the Chemical Processing of Irradiated Fuels (Eurochemic), reactor fuel-element storage, **2**: 8–9
Experimental Boiling-Water Reactor (EBWR), containment cost underground (hypothetical), **3**: 34
parameter determination by noise analysis, **I**: 19
stability analysis, **I**: 25
Experimental Breeder Reactor (EBR-I), power coefficient, **I**: 25–6
Experimental Breeder Reactor-II (EBR-II), fuel-pin meltdown, **I**: 26–7
Experimental Gas-Cooled Reactor (EGCR), containment, **I**: 57–60, 62, 64–6
control rods and rod drives, **4**: 24–8, 33–4
electric power system, **I**: 34–5, 39
fuel-element storage, **2**: 9
gas temperature determination, **I**: 30–2
hot spots, **4**: 14
licensing and regulation, **2**: 83; **3**: 65; **4**: 67
public radiation exposure hazards, **I**: 84–5, 87
Experimental Low-Temperature Process-Heat Reactor (ELPHR), licensing, **I**: 110
Experimental Power Reactor (Halden)
*See* Halden Boiling Reactor
Explosions, air-oil, in compressors, **I**: 44–9
hot laboratory, at BNL, **I**: 51–3
Eyes, radiation-induced cataracts, **3**: 3–4

## F

Fallout
*See also* Air and Fission products
biological uptake of radionuclides, **2**: 66–7
$Sr^{90}$ content, **3**: 46–7
Fast reactors
*See* Reactors
Federal Radiation Council, population radiation protection, **2**: 6–7
purposes, **I**: 16
Filters, **2**: 37–8; **4**: 40–1
*See also* Adsorbers, Air, and Scrubbers
Fires, oil, in air compressors, **I**: 44–9
Fish, uptake of radionuclides, **2**: 67
Fissile materials
*See* Nuclear materials
Fission products
*See also* Air, Atmosphere, Contamination, Fallout, Filters, Radioisotopes, and Reactors
absorption in clays and rocks, **3**: 33–4
atmospheric dispersion, **I**: 91–4; **2**: 56–9
containment in reactors, **I**: 55–69, 105; **3**: 31–4
level in PWR coolant, **I**: 103–4
monitoring of rare gases, **2**: 26–7

Fission products (Continued)
release from, ORNL, **1**: 53–5; **3**: 40–3
reactor fuels, **2**: 20–2, 70–3
reactors, **1**: 89–91
U, **2**: 21–2
$UO_2$, **2**: 20–1
WTR, **2**: 71–2
removal from, gaseous wastes, **4**: 39–41
reactor coolants and fuels, **2**: 39–42
Florida West Coast Nuclear Power Plant (FWCNP), containment, **1**: 56–60, 62, 64–7
control rods and rod drives, **4**: 24–8, 33–4
electric power system, **1**: 34–5, 40
licensing and regulation, **2**: 81, 83, 86; **3**: 65; **4**: 67
public radiation exposure hazards, **1**: 84–5, 87
France, population radiation protection, **2**: 2
Fresh water, low-level-waste disposal, **1**: 81–3
FWCNP
*See* Florida West Coast Nuclear Power Plant (FWCNP)

## G

Gamma radiation, alarms, **3**: 49
Gamma-ray spectrometry, nuclear incident analysis, **4**: 43
Gas-cooled reactors
*See* Reactors
Gases
*See* Fission products, Rare gases, Reactors, and Waste disposal
Genetics, radiation effects, **3**: 4
Germany, population radiation protection, **2**: 2
Godiva, reactivity step insertion, **3**: 18
Graphite, absorption of, $H_2O$, **2**: 15
K, **2**: 15
Na, **2**: 15
radioiodine, **3**: 35
annealing, **3**: 13–15
Cd effects on moderating properties, **2**: 17
compatibility with, $CO_2$, **2**: 15–16
He, **2**: 15
metal hydrides, **2**: 17
heat-release hazards, **4**: 12–13
protective coatings, **2**: 16–17
reactions with, air, **2**: 16
Al, **2**: 16
B compounds, **2**: 17
Be, **2**: 17
BeO, **2**: 17
$CO_2$, **2**: 15–16
$H_2O$, **2**: 15
Magnox alloys, **2**: 16
$O_2$, **4**: 8–13
reactor coolants, **2**: 15–16
stainless steel, **2**: 16
U, **2**: 17
U oxide, **2**: 17
Zircaloy, **2**: 16
Zr, **2**: 16
stored energy, **3**: 13–15
Great Britain, reactors, licensing and regulation, **2**: 1
safety evaluation, **2**: 3
site selection, **2**: 4
transport of nuclear materials, **2**: 5
waste disposal, **2**: 59–60, 62; **3**: 51

## H

Halden Boiling Reactor, underground building cost, **3**: 34
Hallam Nuclear Power Facility (HNPF), containment, **1**: 56–60, 62, 64–7
control rods and rod drives, **4**: 24–8, 30–3
electric power system, **1**: 34–5, 38–9
licensing and regulation, **1**: 110–11; **2**: 83, 88; **3**: 65, 68; **4**: 67
public radiation exposure hazards, **1**: 84–5, 87
Hanford Atomic Products Operation (HAPO), gaseous-waste decontamination, **4**: 40
reactor fuel-element processing, **2**: 45–8
Redox multipurpose dissolver incident, **4**: 52–5
Harwell, England, gaseous-waste decontamination, **4**: 40
reactor safety evaluation, **2**: 3
waste disposal, **2**: 59–60, 62
Hazards, Be, **2**: 42–5
decontamination procedures, **2**: 48–52
nuclear energy operations, **4**: 55–63
radiation, **1**: 83–96; **2**: 48–52; **4**: 45–7, 55–63
reactor graphite heat release, **4**: 12–13
waste treatment, **4**: 45–7
Heat release, graphite oxidation, **4**: 12–13
Heat transfer, WTR, **2**: 72
Heavy Water Components Test Reactor, containment, **1**: 56
Helium, compatibility with graphite, **2**: 15
High-Power-Density Reactor Plant (Big Rock Point), containment, **1**: 57–60, 62, 64–7
control rods and rod drives, **4**: 24–8, 34–5
electric power system, **1**: 34–5, 38
licensing and regulation, **1**: 108–9; **2**: 82; **3**: 64, 68, 71; **4**: 66–7
public radiation exposure hazards, **1**: 84–5, 87
High-Temperature Gas-Cooled Reactor, fuel-element decontamination, **2**: 41
HNPF
*See* Hallam Nuclear Power Facility (HNPF)
Homogeneous Reactor Test (HRE-2), aqueous fuel phase reactions, **2**: 13–14
containment, **3**: 41
core tank holes, **1**: 99–102
parameter determination by noise analysis, **1**: 19
power oscillation, **1**: 23–4

Homogeneous reactors
*See* Reactors
Hot cells, fission-product containment, **3**: 42
fission-product release, **I**: 53–5
Hot laboratories, design and operation, **I**: 51–5
explosion at BNL, **I**: 51–3
fission-product containment, **3**: 42
HRE-2
*See* Homogeneous Reactor Test (HRE-2)
Human beings
*See also* Radiation
Be health hazards, **2**: 42–5
biological radionuclide accumulation effects, **I**: 83
blood analysis for $Na^{24}$, **3**: 49
$Ra^{226}$ behavior, **3**: 45–6
radiation, cancer induction, **3**: 2–3, 46–8
cataract induction, **3**: 3–4
dose limits, **2**: 4
exposure, **I**: 83–96; **3**: 1–4
genetic effects, **3**: 4
hazards, **2**: 48–51
monitors, **3**: 48–9
protection, **I**: 14–17; **2**: 1–2, 6–7; **3**: 7–8
somatic effects, **3**: 2–4
$Sr^{89}$ uptake, **3**: 45
$Sr^{90}$ body burden, **3**: 45–6
$Sr^{90}$ uptake, **3**: 45–7
Humboldt Bay Power Plant, containment, **I**: 57–60, 62–3, 65–6
control rods and rod drives, **4**: 24–8, 34–5
electric power system, **I**: 34–5, 38
licensing and regulation, **I**: 111; **2**: 83, 87–8; **3**: 65, 68–9; **4**: 67–8
maximum credible accident, **I**: 49–50, 84–6
pressure suppression, **I**: 49–50, 56
public radiation exposure hazards, **I**: 84–6
Hydraulic accumulators
*See* Accumulators
Hydrogen, reaction with Zr, **2**: 16
Hydrogen-3 radiation sources, properties, **3**: 39
Hydrogen-3–zirconium targets, fabrication, **3**: 40

## I

IAEA
*See* International Atomic Energy Agency (IAEA)
ICBWR
*See* Improved Cycle Boiling-Water Reactor (ICBWR)
ICRP
*See* International Commission on Radiological Protection (ICRP)
Idaho Chemical Processing Plant, gaseous-waste decontamination, **4**: 40
nuclear incident radiochemical analysis, **4**: 41–2
waste disposal, **2**: 61–3
Improved Cycle Boiling-Water Reactor (ICBWR), licensing and regulation, **2**: 89
Incidents
*See also* Radiation
nuclear energy operations, **4**: 55–63
Redox multipurpose dissolver, **4**: 52–5
Indian Point
*See* Consolidated Edison Thorium Reactor (CETR) at Indian Point
Insurance, requirements for reactors, **4**: 64
International Air Transport Association, transport of nuclear materials, **2**: 5
International Atomic Energy Agency (IAEA), reactor safety evaluation, **2**: 2–3
transport of nuclear materials, **2**: 5
International Commission on Radiological Protection (ICRP), recommendations, **I**: 14–17
Iodine radioisotopes, absorption by solids, **3**: 33–6
adsorption in PLUTO, **3**: 37–8
monitoring, **2**: 26
release from U, **2**: 22
release from $UO_2$, **2**: 21
removal from reactor, coolants, **2**: 41–2
fuels, **2**: 40–1
gases, **3**: 35–8; **4**: 39–40
Iridium-192 radiation sources, fabrication and properties, **3**: 39–40
Irish Sea, waste disposal, **3**: 52
Iron-55 radiation sources, fabrication and properties, **3**: 39–40
Italy, population radiation protection, **2**: 2
reactor site selection, **2**: 5

## J

Joint Committee on Atomic Energy (JCAE), radiation protection hearings, **3**: 7–8

## K

Kinetic Experiment on Water Boilers (KEWB), parameter determination by noise analysis, **I**: 19
reactivity step insertion, **3**: 18
transfer-function determination, **I**: 25
Krypton radioisotopes, removal from reactor coolants, **2**: 41–2
removal from reactor fuels, **2**: 39–40

## L

Laboratories
*See* Hot laboratories
LASL
*See* Los Alamos Scientific Laboratory (LASL)

Lead, radioiodine sorption, **3**: 35
Lead oxide, radioiodine sorption, **3**: 35
Leukemia, $Sr^{90}$-induced, **3**: 47–8
Licensing
*See* Nuclear industry, Reactors, and specific reactors
Life span, radiation effects, **3**: 3
Liquid-Metal-Fueled Reactor (LMFR), fission-product removal from fuel, **2**: 40
LITR
*See* Low-Intensity Test Reactor (LITR)
LMFR
*See* Liquid-Metal-Fueled Reactor (LMFR)
Los Alamos Scientific Laboratory (LASL), radiation accidents, **1**: 72–3, 75
waste disposal, **2**: 61–2
Low-Intensity Test Reactor (LITR), safety systems, **1**: 29–30
Luxembourg, population radiation protection, **2**: 2

## M

Magnesium, radioiodine sorption, **3**: 35
Magnesium hydride, compatibility with graphite, **2**: 17
Magnesium oxide, radioiodine sorption, **3**: 35
Magnox alloys
*See* Aluminum-beryllium-magnesium alloys
Marcoule, France, waste disposal, **2**: 60, 62; **3**: 50–1
Materials
*See* Nuclear materials
Materials Testing Reactor (MTR), air-oil explosion in compressor, **1**: 44–5
graphite stored energy, **3**: 14–15
hot spots, **4**: 14
safety systems, **1**: 29–30
Maximum credible accidents
*See also* Radiation
Humboldt Bay Power Plant, **1**: 49–50, 84–6
power-reactor public radiation exposure hazards, **1**: 83–96
Merchant Shipping (Dangerous Goods) Rules, transfer of nuclear materials, **2**: 5
Metals
*See also* specific metals
reactions with $O_2$, **2**: 17–19
Meteorology, atmospheric dispersion, **1**: 93–4; **4**: 47–51
Mice, neutron tissue activation, **3**: 49
Minerals, $Sr^{90}$ sorption, **2**: 64
Molecular sieve, radioiodine sorption in steam-air mixtures, **3**: 36–7
Molten-Salt Reactor Experiment (MSRE), fuel reactions, **2**: 13
Molten-salt reactor fuels, fission-product removal, **2**: 39–40
$O_2$ contamination, **2**: 13
phase studies, **2**: 12–13
reactions, **2**: 12–13
Molten-salt reactors
*See* Reactors
Molybdenum-uranium alloy, solid-phase reaction with stainless steel, **2**: 11
Monitoring, **2**: 25–7; **3**: 48–9
MSRE
*See* Molten-Salt Reactor Experiment (MSRE)
MTR
*See* Materials Testing Reactor (MTR)

## N

NaK
*See* Potassium-sodium alloy (molten)
Naphthalene mixtures, melting points and vapor composition, **2**: 12
National Committee on Radiation Protection (NCRP), recommendations, **1**: 14–17
National Reactor Testing Station (NRTS), air-oil explosions in compressors, **1**: 44–5
SL-1 incident, **4**: 42
NCRP
*See* National Committee on Radiation Protection (NCRP)
Netherlands, population radiation protection, **2**: 2
Neutron activation, tissues, **3**: 49
Neutron detectors, development, **3**: 50
Neutron sources
*See* Radiation
Niobium hydride, compatibility with graphite, **2**: 17
Noise analysis, determination of reactor parameters, **1**: 19–24
Northern States Power Reactor
*See* Pathfinder Atomic Power Plant
NRTS
*See* National Reactor Testing Station (NRTS)
NRU Reactor, decontamination radiation hazards, **2**: 48–9
NRX Reactor, graphite stored energy, **3**: 14–15
N.S. *Savannah*
*See* Nuclear Merchant Ship Reactor (N.S. *Savannah*)
Nuclear industry
*See also* Reactors
hazards, **4**: 55–63
incidents, **4**: 41–3, 55–63
licensing and regulation, **1**: 107–15; **2**: 1–2, 81–9; **3**: 61–72; **4**: 63–71
standards, **2**: 1–2; **3**: 5–7
Nuclear materials, storage, **2**: 48
transport, **2**: 5
Nuclear Merchant Ship Reactor (N.S. *Savannah*), containment, **1**: 57–61, 63, 65–7
control rods and rod drives, **4**: 21, 24–8, 36–7
electric power system, **1**: 34–6

Nuclear Merchant Ship Reactor (N.S. *Savannah*) (Continued)
licensing and regulation, **2**: 84, 89; **3**: 66; **4**: 67, 70
public radiation exposure hazards, **1**: 84–6
Nuclear ships, safety considerations, **4**: 3–6
Nuclear weapons accidents, radiological safety procedures, **2**: 51

## O

Oak Ridge National Laboratory (ORNL), $Ce^{144}$-$Pr^{144}$ radiation incident, **2**: 73–5
gaseous-waste decontamination, **4**: 41
nuclear incident radiochemical analysis, **4**: 42
off-gas disposition, **2**: 47; **3**: 42
Pu decontamination, **2**: 49–51
radiation safety, **3**: 40–3
radiation source fabrication, **3**: 38–40
radioisotopes, containment, **3**: 41–2
release, **1**: 53–5; **3**: 40–3
sales, **3**: 38
reactor fuel-element processing, **2**: 47
waste disposal, **2**: 61, 63; **3**: 42–3, 51–2; **4**: 41
Oceans, waste disposal, **1**: 78–81
OEEC
*See* Organization for European Economic Cooperation (OEEC)
Organic-Moderated Reactor Experiment (OMRE), coolant decomposition, **2**: 77–8
coolant radioactivity, **2**: 79–80
fuel-element behavior, **2**: 78–81
fuel-element handling, **2**: 8
operation, **2**: 75–81
physics, **2**: 76–7
Organic reactor coolants, properties, **2**: 12
Organization for European Economic Cooperation (OEEC), population radiation protection, **2**: 2
ORNL
*See* Oak Ridge National Laboratory (ORNL)
ORNL Graphite Reactor, graphite annealing, **3**: 13–14
ORNL Research Reactor (ORR), radioisotope containment, **3**: 41
safety systems, **1**: 29–30
Osteogenic sarcoma, $Sr^{90}$-induced, **3**: 46
Ottawa River, radioactivity, **3**: 51
Oxygen, contamination of molten-salt reactor fuels, **2**: 13
reactions with metals and alloys, **2**: 18
Oysters, radionuclide uptake, **2**: 67

## P

Partially Enriched Gas-Cooled Power Reactor (PEGCPR), fuel-element storage, **2**: 9
Particulates, filtering, **2**: 37–8
removal from gas-cooled-reactor coolants, **2**: 41–2
Pathfinder Atomic Power Plant, containment, **1**: 57–61, 63, 65–7
control rods and rod drives, **4**: 24–30
electric power system, **1**: 34–5, 38
licensing and regulation, **1**: 112; **2**: 84; **3**: 66, 68, 70; **4**: 67–8
public radiation exposure hazards, **1**: 84–5
Paving, decontamination, **2**: 51–2
Peach Bottom Atomic Power Station, containment, **1**: 57–60, 62, 64–7
control rods and rod drives, **4**: 24–8, 30–3
electric power system, **1**: 34–5, 40
licensing and regulation, **1**: 112; **2**: 84; **3**: 66, 68, 70; **4**: 67–9
public radiation exposure hazards, **1**: 84–5, 87
PEGCPR
*See* Partially Enriched Gas-Cooled Power Reactor (PEGCPR)
Personnel
*See* Human beings
Phenanthrene mixtures, melting points and vapor composition, **2**: 12
Phosphorus-32, biological uptake, **2**: 66–7
Piqua Organic-Moderated Reactor, containment, **1**: 57–60, 62, 64–8
control rods and rod drives, **4**: 23–9
electric power system, **1**: 34–5, 40
fuel-element handling, **2**: 8
licensing and regulation, **2**: 84; **3**: 66, 68; **4**: 67
public radiation exposure hazards, **1**: 84–5, 87
Plum Brook Reactor Facility, licensing and regulation, **1**: 111–12; **3**: 69–70; **4**: 69
PLUTO Reactor, gaseous-waste decontamination, **4**: 40
$I^{132}$ adsorption, **3**: 37–8
Plutonium, decontamination, **2**: 49–51
handling, **1**: 53
low-level-waste disposal, **2**: 61–2
oxidation, **2**: 18
Plutonium binary alloys, oxidation, **2**: 18
Plutonium Recycle Test Reactor (PRTR), licensing, **1**: 113
Pneumatic temperature probes, gas-cooled reactors, **1**: 30–2
Polonium alpha sources, suppliers, **3**: 40
Population
*See* Human beings
Potassium, absorption by graphite, **2**: 15
Potassium radioisotopes, uptake by algae, **2**: 67
Potassium-sodium alloy (molten), reaction with water, **2**: 12
Power reactors
*See* Reactors
Pressurized-water reactors
*See* Reactors
Promethium oxide radiation sources, fabrication, **3**: 39–40

Promethium-147 radiation sources, properties, **3**: 39
PRTR
*See* Plutonium Recycle Test Reactor (PRTR)
Public
*See* Human beings
PWR
*See* Shippingport Atomic Power Plant (PWR)
Pyrophoricity, U and Zr, **2**: 17–19

## R

Radiation
*See also* Fission products and Human beings
alarms, **3**: 49
dosimetry, **1**: 71–8; **3**: 48–50
effects, **3**: 2–4, 46, 49
exposure, criteria, **3**: 1–4
population dose limits, **2**: 4
power-reactor public hazards, **1**: 83–96
hazards, **1**: 83–96; **2**: 48–52; **4**: 45–7, 55–63
incidents, $Ce^{144}$-$Pr^{144}$, **2**: 73–5
dosimetry, **1**: 71–8; **3**: 48–50
emergency plans, **1**: 7–9
nuclear energy operations, **4**: 55–63
nuclear weapons, **2**: 51
ORNL, **1**: 53–5; **2**: 73–5; **3**: 40
reactor fuel-element failure, **2**: 70–3
reports to AEC, **1**: 9–10
levels, Clinch River, **3**: 51
Ottawa River, **3**: 51
PWR, **1**: 103–4
spent reactor fuel-element shipments, **1**: 6
SRE, **3**: 58–60
monitoring, **2**: 25–7; **3**: 48–9
protection, **1**: 14–17; **2**: 1–2, 6–7; **3**: 7–8
safety, **3**: 40–3
sources, **3**: 38–40; **4**: 63
Radiation Effects Reactor (RER), licensing and regulation, **4**: 69–70
Radioisotopes
*See also* Air, Fallout, Filters, Fission products, and Reactors
applications, **3**: 38
biological uptake, **1**: 81–3; **2**: 65–7
effects on materials, **3**: 38
release at ORNL, **1**: 53–5; **3**: 40–3
sales at ORNL, **3**: 38
Radiological installations, standards, **2**: 1–2; **3**: 5–7
Radium-226, behavior in human beings, **3**: 45–6
Rare-earth elements, removal from molten-salt reactor fuel, **2**: 39–40
Rare gases
*See also* Fission products
monitoring, **2**: 26–7
Reactors
*See also* Fission products and specific reactors
autocorrelation, **1**: 19–24
boiling water, concrete-shield fracture, **2**: 34–5
control-rod operation, **4**: 23
stability, **1**: 24–6
burnout, **3**: 10–13
containment, concrete-shield fracture, **2**: 34–5
fission-product release, **1**: 89–91
HRT, **3**: 41
missile penetration, **2**: 31–7
power reactors, **1**: 55–69, 105; **3**: 31–4
pressure suppression, **1**: 49–50, 56
SRE, **3**: 57–8
control rods and drives, **4**: 17–37
coolants, decomposition, **2**: 77–8
decontamination, **2**: 39–42
leakage, **3**: 55–8
properties, **2**: 12
radioactivity, **1**: 103–4; **2**: 79–80; **3**: 59–60
reactions with graphite, **2**: 15–16
reactions with $H_2O$, **2**: 12
cooling systems, decontamination, **2**: 52
leakage, **3**: 55–8
pump failure, **1**: 105
radioactivity, **3**: 59–60
rupture, **2**: 33
shielding, **3**: 58
effluents, biological uptake, **2**: 66–7
release into Columbia River, **2**: 66
electric power systems, **1**: 32–42
excursions, **2**: 33–6; **3**: 54
fast, stability, **1**: 25–6
fission products, atmospheric dispersion, **2**: 56–9
containment, **1**: 55–69, 105; **3**: 31–4
release, **1**: 89–91; **2**: 20–2, 70–3
removal from coolants, **2**: 41–2
removal from fuels, **2**: 39–42
fuels, behavior in OMRE, **2**: 78–81
bowing, **1**: 26
decontamination, **2**: 39–42
failure, **2**: 70–3; **3**: 55–6, 58–9
fission-product release, **2**: 20–2, 70–3
freezing, **2**: 13
handling, **2**: 7–9, 45–6
hot spots, **4**: 13–14
leak detection, **3**: 27
meltdown, **1**: 26–7
removal from SRE, **3**: 60
reprocessing, **2**: 45–8; **4**: 39–41
solid-phase reactions, **2**: 11–12
fuels (aqueous), decontamination, **2**: 40–1
phase reactions, **2**: 13–14
fuels (ceramic-coated), **2**: 41
fuels (molten-salt), decontamination, **2**: 39–40
$O_2$ contamination, **2**: 13
phase studies, **2**: 12–13
reactions, **2**: 12–13
fuels (spent), shipment, **1**: 3–7
storage, **2**: 8–9, 45–6
U recovery, **2**: 14–15
fuels (stainless-steel-canned), hot spots, **4**: 14
fuses, **3**: 27–30

Reactors (Continued)
gas-cooled, coolant decontamination, **2**: 41–2
fuel-element ceramic coating, **2**: 41
fuel-element handling, **2**: 7–8
gas temperature determination, **I**: 30–2
hot spots, **4**: 14
gases, radioiodine removal, **3**: 35–8
temperature determination, **I**: 30–2
waste treatment, **4**: 39–41
graphite heat release, **4**: 12–13
hazards, **I**: 10–13, 49–50, 83–96; **4**: 12–13
heat exchangers, **I**: 105; **3**: 56
homogeneous, containment, **3**: 41
fuel decontamination, **2**: 40–1
fuel phase reactions, **2**: 13–14
parameter determination, **I**: 19
power oscillation, **I**: 23–4
hot spots, **4**: 13–14
inspection, **I**: 1–3; **3**: 61–3
instrumentation, **3**: 24–7
insurance requirements, **4**: 64
kinetics, **I**: 19–24, 106; **3**: 15–22, 60–1
licensing and regulation, **I**: 107–15; **2**: 1–2, 81–9; **3**: 61–72; **4**: 63–71
liquid-metal-cooled, containment, **3**: 57–8
coolants, **3**: 55–60
cooling-system shielding, **3**: 58
fuel elements, **2**: 8, 11–12; **3**: 55–60
heat-exchanger performance, **3**: 56
nozzle thermal stresses, **3**: 58
operation, **3**: 54–61
parameter determination by noise analysis, **I**: 19
repair under radioactive conditions, **3**: 60
stability, **3**: 60–1
steam-generator performance, **3**: 56
valve performance, **3**: 56–7
liquid-metal-fueled, fuel decontamination, **2**: 40
marine, safety considerations, **4**: 3–6
moderators, **2**: 17
molten-salt, fuel decontamination, **2**: 39–40
noise analysis, **I**: 19–24
nozzles, **3**: 58
operation, **I**: 102–7; **2**: 75–81; **3**: 24–7
organic-moderated, fuel-element handling, **2**: 8
operation, **2**: 75–81
physics, **2**: 76–7
parameters, **I**: 19–24
power, containment, **I**: 55–69, 89–91, 105; **3**: 31–4
control rods and rod drives, **4**: 17–37
coolant pump failure, **I**: 105
coolant radioactivity, **I**: 103–4
decontamination, **2**: 52
electric power systems, **I**: 32–42
fuel-element handling, **2**: 8–9
fuses, **3**: 28
heat-exchanger failure, **I**: 105
kinetics, **I**: 106
licensing and regulation, **I**: 107–15; **2**: 81–9; **3**: 61–72
maximum credible accidents, **I**: 49–50, 83–96
operation, **I**: 102–7
pressure suppression, **I**: 49–50, 56
public radiation exposure hazards, **I**: 83–96
radiation levels in PWR, **I**: 104
safety features, **2**: 3
stability, **I**: 25
power coefficients, **I**: 25–6
pressurized-water, concrete-shield fracture, **2**: 34–5
stability, **I**: 25–6
runaway, **2**: 33–6; **3**: 54
safety, **I**: 29–30; **2**: 2–3, 27–9; **4**: 3–6, 16–17
scram, **I**: 106–7; **2**: 71
shielding, **3**: 58
shutdown, **I**: 29–30, 106–7; **3**: 20–1
site selection, **2**: 3–5; **4**: 1–3, 63–4
stability, **I**: 19–20, 24–6
steam generation, **3**: 56
test, containment, **I**: 56; **3**: 41
fuel-element failure, **2**: 70–3
fuses, **3**: 29
kinetics, **3**: 15–22
licensing, **I**: 113
safety systems, **I**: 29–30
transfer functions, **I**: 24–6
valves, **I**: 105; **3**: 56–7
waste treatment, **4**: 39–41
Redox multipurpose dissolver, incident, **4**: 52–5
RER
*See* Radiation Effects Reactor (RER)
Rocks, fission-product absorption, **3**: 33–4
Rubidium, removal from gas-cooled-reactor coolants, **2**: 41–2
Rural Cooperative Power Association
*See* Elk River Power Reactor
Ruthenium, release from U, **2**: 22
release from $UO_2$, **2**: 21
removal from gaseous wastes, **4**: 39–40

## S

Safeguards reports, **I**: 115; **2**: 89–91; **3**: 72–3; **4**: 71–2
Safety standards, nuclear industry, **3**: 5–7
Samarium-149, release from $UO_2$, **2**: 21
Sampling, gaseous wastes, **2**: 27
Savannah River Plant (SRP), reactor fuel-element dissolution, **2**: 47
Saxton Power Reactor, containment, **I**: 57–61, 63, 65–7
control rods and drives, **4**: 23–9
electric power system, **I**: 34–5
licensing and regulation, **2**: 85; **3**: 67–8, 71; **4**: 67
public radiation exposure hazards, **I**: 84–6

Scrubbers
*See also* Adsorbers, Air, Filters, and Fission products
gaseous-waste decontamination, **4**: 39–41
$I^{132}$ adsorption, **3**: 37–8
Ship repair
*See also* Nuclear ships
radiation hazards, **2**: 51
Shippingport Atomic Power Plant (PWR), containment, **I**: 57–61, 63, 65–7, 105
control rods and rod drives, **4**: 24–8, 30–3
coolant pump failure, **I**: 105
coolant radioactivity, **I**: 103–4
electric power system, **I**: 33–5
heat-exchanger failure, **I**: 105
kinetics, **I**: 106
licensing and regulation, **2**: 84; **3**: 67; **4**: 67–8
operation, **I**: 102–7
public radiation exposure hazards, **I**: 84–6
radiation levels in containment shell, **I**: 104
relief valve leakage, **I**: 105
scram, **I**: 106–7
shutdown, **I**: 106–7
stability, **I**: 25
$UO_2$ decontamination, **2**: 52
Sioux Falls Power Reactor
*See* Pathfinder Atomic Power Plant
SL-1
*See* Stationary Low-Power Plant No. 1 (SL-1)
Small Pressurized-Water Reactor (SPWR), containment, **I**: 56–61, 63, 65–7
electric power system, **I**: 34–5
licensing and regulation, **2**: 85
public radiation exposure hazards, **I**: 84–6
Sodium, absorption by graphite, **2**: 15
leaks in SRE, **3**: 56–8
radioactive contamination in SRE, **3**: 59–60
Sodium-24, determination in blood, **3**: 49
Sodium fluoride–uranium tetrafluoride–zirconium tetrafluoride system, phase studies, **2**: 13
Sodium Reactor Experiment (SRE), containment, **3**: 57–8
coolants, leakage, **3**: 55–8
pumps, **3**: 55
radioactive contamination, **3**: 59–60
cooling-system shielding, **3**: 58
fuel elements, damage, **3**: 55–6, 58–9
removal, **3**: 60
solid-phase reactions, **2**: 11–12
heat-exchanger performance, **3**: 56
nozzle thermal stresses, **3**: 58
operation, **3**: 54–61
parameter determination by noise analysis, **I**: 19
repair under radioactive conditions, **3**: 60
stability, **3**: 60–1
steam-generator performance, **3**: 56
valve performance, **3**: 56–7
Sodium thiosulfate, radioiodine sorption in steam-air mixtures, **3**: 36–7
Soil, cation-exchange, **2**: 63–4
$Sr^{90}$ movement, **2**: 63–5
Somatic radiation effects, **3**: 2–4
Sources (radioactive)
*See* Radiation
Spain, reactor site selection, **2**: 3
Special Power Excursion Reactor Tests (SPERT), facilities, **3**: 15–17
fuses, **3**: 29
reactivity insertion, **3**: 18–19
shutdown, **3**: 20–1
stability, **3**: 19–20
static experiments, **3**: 17–18
summary description, **3**: 15–22
transfer-function measurement, **I**: 24
Spectrometry
*See* Gamma-ray spectrometry
SPWR
*See* Small Pressurized-Water Reactor (SPWR)
SRE
*See* Sodium Reactor Experiment (SRE)
SRP
*See* Savannah River Plant (SRP)
Stack gases, monitoring, **2**: 26–7
Stainless steel, reaction with graphite, **2**: 16
solid-phase reactions with U and U alloys, **2**: 11
Stationary Low-Power Plant No. 1 (SL-1), explosion, **3**: 54
nuclear incident radiochemical analysis, **4**: 42
Steam pressure containment, Humboldt Bay, **I**: 49–50, 56
Steel plate, penetration, **2**: 32–3
Storage, nuclear materials, **2**: 8–9, 45–6, 48
Stratosphere
*See also* Air and Atmosphere
$Sr^{90}$ content, **3**: 46–7
Strontium, effect of soil cation-exchange capacity, **2**: 63–4
removal from gas-cooled-reactor coolants, **2**: 42
Strontium-89, biological uptake from fallout, **2**: 66
human uptake, **3**: 45
release from U, **2**: 22
Strontium-90, absorption in clays and rocks, **3**: 33–4
biological uptake from fallout, **2**: 66–7
body burden, **3**: 45–6
cancer induction, **3**: 2–3, 46–8
content in fallout, **3**: 46–7
content in stratosphere, **3**: 46–7
human uptake, **3**: 45–7
movement in soil, **2**: 63–5
pathological effects, **3**: 47–8
radiation source properties, **3**: 39
toxicity, **3**: 45–8
tumor induction, **3**: 47–8
Strontium-90 titanate radiation sources, fabrication, **3**: 39
Strontium-90–yttrium-90 radiation sources, heating, **3**: 39
Switzerland, reactor site selection, **2**: 5

## T

Television, use in decontamination, **2**: 49
Tellurium, release from $UO_2$, **2**: 21
Tellurium-132, release from U, **2**: 22
Temperature probes, gas-cooled reactors, **I**: 30–2
Terphenyl mixtures, melting points and vapor composition, **2**: 12
Thorium, oxidation, **2**: 18
Thorium binary alloys, oxidation, **2**: 18
Thorium-uranium alloy, solid-phase reaction with stainless steel, **2**: 11
Tissues, neutron activation, **3**: 49
Toxicity, $Sr^{90}$, **3**: 45–8
Transportation, nuclear materials, **2**: 5
TREAT
*See* Argonne Transient Reactor Test Facility (TREAT)
TRIGA Reactor, reactivity step insertion, **3**: 18
Tritium
*See* Hydrogen-3 radiation sources
Tumors, $Sr^{90}$-induced, **3**: 47–8

## U

Union Carbide Nuclear Company, Y-12 Plant, Oak Ridge, radiation accidents, **I**: 74; **4**: 42
Union of Soviet Socialist Republics, radiation accident, **I**: 73–4
United Kingdom
*See* Great Britain
Uranium, decontamination, **2**: 48–9
fission-product release, **2**: 21–2
fluorination with $BrF_3$, **2**: 14–15
pyrophoricity, **2**: 17–19
reaction with graphite, **2**: 17
recovery from spent fuel, **2**: 14–15
Redox multipurpose dissolver incident, **4**: 52–5
solid-phase reaction with stainless steel, **2**: 11
Uranium binary alloys, oxidation, **2**: 18
solid-phase reactions with stainless steel, **2**: 11
Uranium dioxide, decontamination, **2**: 52
fission-product release, **2**: 20–1
Uranium oxides, radioiodine sorption, **3**: 35
reaction with graphite, **2**: 17
U.S.S. *Seawolf* Sodium-Cooled Reactor, fuel-element handling, **2**: 8
U.S.S. *Triton* prototype, air-oil explosion in compressor, **I**: 45

## V

Vallecitos Boiling-Water Reactor (VBWR), containment, **I**: 57–61, 63, 65–8
control rods and rod drives, **4**: 24–8, 37
electric power system, **I**: 34–5
licensing and regulation, **2**: 85–6; **3**: 67–9; **4**: 67, 70
public radiation exposure hazards, **I**: 84–6

## W

Waste disposal, costs, **3**: 50
developments, **3**: 50–2
fresh water, **I**: 81–3
gaseous, disposition, **2**: 47–8; **3**: 42
filtering, **2**: 37–8
monitoring, **2**: 25–7
treatment, **4**: 39–41
hazards, **4**: 45–7
licensing and regulation, **4**: 63
liquid, **3**: 42–3
low-level, **I**: 81–3; **2**: 59–63; **3**: 50–2
ocean, **I**: 78–81
treatment, **4**: 45–7
Water, absorption by graphite, **2**: 15
reaction with graphite, **2**: 15
reaction with NaK, **2**: 12
waste disposal into fresh, **I**: 81–3
waste disposal into ocean, **I**: 78–81
Water fowl, uptake of radionuclides, **2**: 67
Weathering
*See* Erosion
Westinghouse Testing Reactor (WTR), fuel-element failure, **2**: 70–3
licensing and regulation, **4**: 70–1
Wigner energy, graphite, **3**: 13–15
Windscale Reactor, fission-product release from U, **2**: 21–2
WTR
*See* Westinghouse Testing Reactor (WTR)

## X

Xenon, removal from gas-cooled-reactor coolants, **2**: 41–2
removal from LMFR fuel, **2**: 40
Xenon-135, release from $UO_2$, **2**: 21
removal from molten-salt reactor fuel, **2**: 39–40

## Y

Yankee Nuclear Power Station, containment, **I**: 57–61, 63, 65–8
control rods and rod drives, **4**: 23–9
decontamination of primary cooling system, **2**: 52
electric power system, **I**: 34–6
licensing and regulation, **I**: 113–14; **2**: 85–7; **3**: 67, 70; **4**: 67, 71
public radiation exposure hazards, **I**: 84–6

Yttrium, removal from gas-cooled-reactor coolants, **2**: 42
Yttrium hydride, compatibility with graphite, **2**: 17
Yugoslavia, radiation accident, **1**: 74–5

## Z

Zinc-65, biological uptake from reactor effluents, **2**: 66
Zircaloy, reaction with graphite, **2**: 16
Zirconium, pyrophoricity, **2**: 17–19
reaction with graphite, **2**: 16
reaction with $H_2$, **2**: 16
removal from gas-cooled-reactor coolants, **2**: 42
Zirconium-95, biological uptake, **2**: 66
release from U in Windscale Reactor, **2**: 22
Zirconium binary alloys, oxidation, **2**: 18
Zirconium hydride, compatibility with graphite, **2**: 17
Zirconium tetrafluoride-bearing reactor fuels, freezing, **2**: 13

**LEGAL NOTICE**

This document was prepared under the sponsorship of the U. S. Atomic Energy Commission. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.

☆ U.S. GOVERNMENT PRINTING OFFICE: 1961—612439/1